Application No : 10/765,114

Art Unit: 3611

Attorney Docket No : 23567.00

Confirmation No.: 9715

IN THE SPECIFICATION

Please replace the paragraph at page 11, line 17 through page 18, line 8 with the

following amended paragraph:

-- Each of the slotted tubular members 24 and 26, is a pool toy generically known

as a pool noodle with a slot 56 and 58 and two holes 60 and 62 cut into each of the pool

noodles. Such pool noodles are commercially available from pool equipment businesses.

including, for examples, two business entities doing business via the internet at the

Internet addresses: www.poolcenter.com and www.pooltoy.com. Figs. 7, 8A and 8B

illustrate an alternative embodiment of the slotted tubular members 710 and 712 that is

constructed of a rectangular sheet of hard plastic 710 formed into a slotted tube by rolling

two edges 702 and 703 of the sheet 710 inward toward one side of the sheet 710. The

slot 701 is formed by a space left between the two edges 702 and 703. This alternative

embodiment 710 is commercially available from a business entity doing business as

Custom Plastics, Inc. with an Internet website at www.customplasticsinc.com. --

2

 Application No : 10/765,114
 Attorney Docket No : 23567.00

 Art Unit: 3611
 Confirmation No.: 9715

Please replace the paragraph at page 14, lines 3-11 with the following amended paragraph:

-- Figs. 4 and 5 illustrate an alternative embodiment 100 that is configured to display a banner. Like the embodiment 10 discussed above, this embodiment 100 includes two elastic cords 120 and 122, two rod supporting tubular members 124 and 126, two cord lock members 128 and 130, two floor anchor members 132 and 134, four cord hook members 136 and 138, and a ceiling interface member 140 which are identical to those described above. This embodiment 100 also includes two elongated rods 170 and 172 and a plurality of banner clips 174.--

Application No : 10/765,114

Art Unit: 3611

Attorney Docket No : 23567.00

Confirmation No.: 9715

Please replace the paragraph at page 15, lines 6-18 with the following amended

paragraph:

-- Fig. 6 illustrates a second alternative embodiment 200 that is configured to

display both a banner and a rigid sign, with the sign S positioned above the banner B.

Essentially, this embodiment 200 is a combination of the two embodiments 10 and 100

described above. The one notable difference being that this embodiment 200, has four

tubular members – two upper tubular members and two lower tubular members –

supporting each displayed article S and B, for a total of eight tubular members 281-288.

Four of the eight tubular members 281-288 are tubular members 281, 282, 283 and 284

supporting sign S, and four of eight tubular members 281-288 are rod supporting tubular

members 285, 286, 287 and 288 supporting elongated rods 270 and 272. Thus, this

embodiment includes two elastic cords 220 and 222, eight tubular members 281-288,

four cord lock members 228, 230, 233 and 235, two elongated rods 270 and 272, two

floor anchor members 232 and 234, four cord hook members 236 and 238, a plurality of

banner clips 274, and a ceiling interface member 240. --

4